

#### **NEW OPEL CORSA**

#### **Customer Notice:**

Dear customer,

The enclosed Price and Equipment Guide reflects Irish pricing and specification in normal circumstances.

Please be advised however, Opel is impacted by temporary challenges in the global supply chain, including certain component shortages. Unfortunately, in the first instance, this means some customers may experience significant delays to delivery.

In the second instance, due to the present production challenges, some options for models across the Opel range are unavailable until further notice. Furthermore, Opel may temporarily offer vehicles with substituted equipment or features in place of standard equipment, or may suspend features temporarily.

These are measures taken to secure production of vehicles for customers.

As information becomes available from our manufacturer and working with our partners in the Opel Dealer Network in Ireland, Opel Ireland will endeavour to keep customers up to date regarding the order status and equipment featured on their new vehicles.

#### CONTENTS

DISCOVER THE ALL-NEW CORSA. THE FUTURE-READY GERMAN CITY-CAR, BLENDING EVERYDAY DRIVING FUN WITH EXCITING, BIG CAR TECHNOLOGY.

Range and prices

In-car technology and entertainment

Colours

Exterior styling and features

Technical Data

Comfort and convenience

Lighting and visibility

Trims, colours, wheels and tyres

#### E&OE October 2023.

The content in this specification and price guide is for information purposes only. Our products are continually updated and changes may be made to the specifications at any time. If you require any specific feature, you must consult your authorised Opel Dealer who is regularly updated with any change in specification. Specifications are subject to change without notice. Images are used for illustrative purposes only. Vehicles illustrated may not necessarily reflect the correct specification. Contact your local Opel dealer for details.

#### **ALL NEW CORSA RANGE PRICES**\*

Trim	Fuel Type	Transmission	CO2 (WLTP)	Tax Band	Road Tax	RRSP* from €
sc						
1.2 75hp S/S	Petrol	5-speed manual	121	B1: 121 - 130	€200	€23,995
ELEGANCE						
1.2 75hp S/S	Petrol	5-speed manual	121	B1: 121 - 130	€200	€25,295
GS						
1.2 75hp S/S	Petrol	5-speed manual	122	B1: 121 - 130	€200	€26,595
1.2 100hp S/S	Petrol	8-speed automatic	124	B1: 121 - 130	€200	€29,595



<sup>\*</sup>Recommended Retail Selling Price does not include Dealer delivery related charges, metallic paint or tyre recycling levy. RRSP price excludes the recommended cost of Pre-Delivery-Inspection, number plates and delivery to an Opel Dealer. \*\*Inclusive of SEAI grant and VRT rebate. Prices effective October 2023. E&OE 17/10/2023. Prices are subject to alteration or change without notice or obligation.

## YOUR NEW CORSA IN DETAIL: SAFETY & SECURITY

SAFETY / SECURITY FEATURES	SC	ELEGANCE	GS
ABS / Electronic Stability Programme (ESP) / Electronic Braking Distribution (EBD)	•	•	•
Driver / passenger front and side airbags	•	•	•
Passenger airbag deactivation switch (in glove box)	•	•	•
Cruise control with intelligent speed limiter	•	•	•
Active Lane Keep Assist	•	•	•
Collision avoidance and mitigation sensor: low speed	•	•	•
Forward collision alert	•	•	•
Pedestrian detection alert	•	•	•
Automatic speed limiter	•	•	•
Enhanced traffic sign recognition	•	•	•
Driver attention alert system	•	•	•
Side blind spot alert with side distance alert		•	•
Remote central locking (includes fuel filler flap): two folding keys	•	•	•
Body security pack	•	•	•
Hill start assist	•	•	•
Hill start assist with electric parking brake		AUTO MODELS ONLY	
ISOFIX child seat fixings on outer rear seats	•	•	•
Front passenger seat child seat restraint provision			•
Electrical child-locking functionality on rear doors	•	•	•
Tyre deflation detection system	•	•	•
Tyre repair kit: provision for spare wheel	•	•	•
Seat belt reminder (front and rear)	•	•	•
Driver and passenger 2-way adjustment head restraints	•	•	•

## YOUR NEW CORSA IN DETAIL: COMFORT & CONVENIENCE

COMFORT & CONVENIENCE FEATURES	SC	ELEGANCE	GS
Electric power-assisted steering	•	•	•
Steering colum adjustable for reach / rake	•	•	•
Steering wheel audio / phone / cruise controls	•	•	•
Heated steering wheel			•
Manual air conditioning	•	•	•
Rear legroom heater	•	•	•
Heated front seats			•
Steering wheel 3-spokes, artificial leather	•	•	•
Electrically operated front and rear windows	•	•	•
Electrically adjustable, manual folding, heated door mirrors	•		
Electrically adjustable, power folding, heated door mirrors		•	•
Manual 6-way driver's seat adjustment: fore/aft, up/down with reclining seat back	•	•	•
Driver and front passenger comfort seats	•	•	
Driver and front passenger dynamic seats			•
Manual front passenger seat 4-way adjustment: fore/aft with reclining seat back	•	•	•

#### YOUR NEW CORSA IN DETAIL: IN-CAR TECHNOLOGY

IN-CAR TECHNOLOGY & ENTERTAINMENT FEATURES	SC	ELEGANCE	GS
Trip computer	•	•	•
Speedometer and rev counter	•	•	•
AM / FM / DAB digital radio	•	•	•
5" Radio with Bluetooth	•		
10" colour touchscreen + HD graphics + MirrorLink: Apple Car Play™ / Android Auto™		•	•
3.5" digital driver information cluster: colour	•		
7" digital driver information cluster: multi-colour		•	•
Bluetooth® audio streaming	•	•	•
USB audio connection: frt console		•	•
12V power outlet	•	•	•
Six speakers	•	•	•

#### YOUR NEW CORSA IN DETAIL: INTERIOR FEATURES

INTERIOR FEATURES	SC	ELEGANCE	GS
Driver and front passenger sunvisors with vanity mirror	•	•	•
Uplevel middle console: front center armrest with hidden storage, 2 cupholders front			•
60/40 split folding rear seat back	•	•	•
Malwa black fabric seat trim	•	•	
Banda White seat trim			•
Illuminated load compartment	•	•	•

### YOUR NEW CORSA IN DETAIL: EXTERIOR STYLING

EXTERIOR STYLING FEATURES	SC	ELEGANCE	GS
Body colour door handles	•	•	•
Black side window mouldings	•	•	•
Black grained front grille finish			•
Body-colour front and rear bumpers	•	•	•
High gloss black B-pillars			•
Black painted roof and A-pillars			•
16" Steel wheel, 6.5J x 16, Design 1, flush wheel cover, Silver, with Kit equipment	•		
16" Alloy Wheel 6.5J x16, Tornado Design, Grey, with Kit equipment		•	
17" diamond-cut gloss black 5-double spoke alloy wheels			•
Integrated rear roof spoiler	AUT	OMATIC MODELS	ONLY
Short rod roof antenna	•	•	•

# YOUR NEW CORSA IN DETAIL: LIGHTING & VISIBILITY

LIGHTING & VISIBILITY FEATURES	SC	ELEGANCE	GS
Eco LED headlamps	•	•	•
LED daytime running lamps	•	•	•
Rear fog lights	•	•	•
LED uplevel tail lamp			•
LED front fog lights			•
Manually adjustable headlight level control	•	•	•
High beam assist	•	•	•
Solar heat absorbing windscreen, windows and tailgate	•	•	•
Front single dome lamp with dual reading lamps	•	•	•
Rear windscreen wipers with intermittent wipe	AUTO ONLY	AUTO ONLY	•
Rain-sensitive windscreen wipers	•	•	•
Electrochrome anti-dazzle rear view mirror	•	•	•
Rear parking distance sensors	•		
Front and rear parking distance sensors		•	•
Panoramic rear view camera (180°)		•	•

### **CHOOSE YOUR TRIM**



Fabric seats in Malwa Black with inner and outer bolsters.



Fabric seats in Banda White with inner and outer bolsters.

INTERIOR FEATURES	sc	ELegance	GS
Malwa black seat trim	•	•	
Banda White seat trim			•

### CHOOSE YOUR EXTERIOR COLOUR\*

Jade White (POWP)\*\*
Brilliant paint

Crystal Silver (MOZR)\*\* Metallic paint

GSe Grey (POSD)\*\*
Brilliant paint



Voltaic Blue (MOAV)\*\* Metallic paint



Diamond Black (M09V)\*\* \*\*\* Metallic paint



Hot Red (MOPQ)\*\*
Two-coat premium paint







E & OE October 2023. \*Images shown for illustration purposes only. Please discuss colours available with your local Opel Dealer. \*\*Premium, Metallic and Brilliant paint optional at extra cost. Due to the limitations of the printing process, the colours reproduced may vary slightly from the actual paint colour and trim material. As a result, they should be used as a guide only. Your Opel dealer has a comprehensive display of paint finishes. \*\*\* Not available with black painted roof.

### **CHOOSE YOUR WHEELS AND TYRES**

		SC	ELEGANCE	GS
	16' Steel wheel, 6.5J x 16, Design 1, flush wheel cover, Silver, with Kit equipment 195/55/R16 Tyres Emergency tyre inflation kit (in lieu of spare wheel).	•		
	16' Alloy Wheel 6.5J x16, Tornado Design, Grey, with Kit equipment 195/55 R 16 tyres Emergency tyre inflation kit (in lieu of spare wheel).		•	
	17' Alloy wheel, Design 2, 5-double spokes "Diamond cut", Gloss Black 195/55 R 17 tyres Emergency tyre inflation kit (in lieu of spare wheel).			•
Spar	e wheel kit available as aftermarket optional extra. Please cor	nsult your loca	al Opel Dealer.	

# ENGINES: PERFORMANCE, FUEL ECONOMY AND EMISSIONS


#### **PETROL ENGINES**

1798/15   1871   1970   12   1098   1799   1990			
Maximum power         75hp (55kW) @ 575orpm         100hp (74kW) @ 550orpm           Maximum torque         118Nm (87 lb.ft.) @ 275orpm         205Nm (151 lb.ft.) @ 175orpm           Configuration         3 cylinders, 4 valves per cylinder, double overhead camshafts           Transmission         5-speed manual         8-speed automatic           Fuel / Induction system         Naturally aspirated with Variable Timing, Multi-point sequential fuel injection.           Fuel tank capacity         40 litres           Emission compliance         EURO 6d         EURO 6d           Service interval         20,000km or 1-year (whichever occurs soonest)           Steering         - Anti-lock Braking System (ABS) - Electronic Brake Force Distribution (EBFD) - Emergency Brake Assist - Cornering Brake Control - Straight Line Stability Control           Brakes and discs         Emergency Brake Assist - Cornering Brake Control - Straight Line Stability Control           Brakes and discs         Front ventilated discs: 356mm (diameter Rear drums: 203mm diameter Rear drums: 203mm diameter           Maximum speed (km/hr)         174         190           Acceleration (0 - 100km/hr)         12.4         10.2           Fuel economy (litres/100km)* Combined low         5.3         5.8           Fuel economy (litres/100km)* Combined low         118         121           C02 emissions (g/km)* Combined high         13		1.2 75HP START STOP	1.2 100HP TURBO START STOP
Maximum torque         118Nm (87 lb/ft.) @ 2750rpm         205Nm (151 lb.ft.) @ 1750rpm           Configuration         3 cylinders, 4 valves per cylinder, double overhead camshafts           Transmission         5-speed manual         8-speed automatic           Fuel / Induction system         Naturally aspirated with Variable Timing. Multi-point sequential fuel injection.           Fuel tank capacity         40 litres           Emission compliance         EURO 6d         EURO 6d           Service interval         20,000km or 1-year (whichever occurs soonest)           Steering         - Anti-lock Braking System (ABS) - Electronic Brake Force Distribution (EBFD) - Emergency Brake ASsist - Cornering Brake Control - Straight Line Stability Control           Brakes and discs         Front ventilated discs: 356mm diameter         Front ventilated discs: 356mm diameter           Maximum speed (km/hr)         17.4         19.0           Acceleration (0 - 100km/hr)         12.4         10.2           Fuel economy (litres/100km)* Combined low         5.3         5.8           Fuel economy (litres/100km)* Combined high         5.9         6.2           C02 emissions (g/km)* Combined high         133         140	Capacity	1199cc	1199cc
Configuration  3 cylinders, 4 valves per cylinder, double overhead camshafts  Fransmission  5-speed manual  8-speed automatic  Naturally aspirated with Variable Timing. Multi-point sequential fuel injection.  Fuel I rinduction system  A0 litres  Emission compliance  EURO 6d  EURO 6d  EURO 6d  EURO 6d  Service interval  20,000km or 1-year (whichever occurs sonests)  Steering  Speed-sensitive power-assisted steering  - Anti-lock Braking System (ABS) - Electronic Brake Force Distribution (EBFD) - Emergency Brake Assist · Cornering Brake Control · Straight Line Stability Control  Front ventilated discs: 356mm diameter  Rear drums: 203mm diameter  174  190  Acceleration (0 - 100km/hr)  12.4  10.2  Fuel economy (litres/100km)* Combined low  5.3  5.8  Fuel economy (litres/100km)* Combined low  118  121  CO2 emissions (g/km)* Combined high  133  140	Maximum power	75hp (55kW) @ 5750rpm	100hp (74kW) @ 5500rpm
Transmission S-speed manual 8-speed automatic  Fuel / induction system  Naturally aspirated with Variable Timing. Multi-point sequential fuel injection.  Fuel tank capacity  Emission compliance  EuRO 6d  EURO 6d  EURO 6d  Service interval  Speed-sensitive power-assisted steering  - Anti-lock Braking System (ABS) • Electronic Brake Force Distribution (EBFD) · Emergency Brake Assist • Cornering Brake Control • Straight Line Stability Control  Front ventilated discs: 356mm diameter  Rear drums: 203mm diameter  Front ventilated discs: 356mm diameter  Rear drums: 203mm diameter  Rear drums: 203mm diameter  Rear drums: 203mm diameter  Speed-sensitive power-assisted steering  Front ventilated discs: 381mm diameter  Rear drums: 203mm diameter  Rear drums:	Maximum torque	118Nm (87 lb.ft.) @ 2750rpm	205Nm (151 lb.ft) @ 1750rpm
Fuel / induction system	Configuration	3 cylinders, 4 valves per cylinder, double overhead camsha	
Fuel tank capacity	Transmission	5-speed manual 8-speed automatic	
Emission compliance  Service interval  Service interval  Seed-sensitive power-assisted steering  - Anti-lock Braking System (ABS) · Electronic Brake Force Distribution (EBFD) · Emergency Brake Assist · Cornering Brake Control · Straight Line Stability Control  Front ventilated discs: 356mm diameter  Rear drums: 203mm diameter  Maximum speed (km/hr)  Acceleration (0 - 100km/hr)  Fuel economy (litres/100km)* Combined low  Fuel economy (litres/100km)* Combined high  CO2 emissions (g/km)* Combined high  CO2 emissions (g/km)* Combined high  EBURO 6d  EURO 6d  Font ventilated discs: 356mm diameter  Front ventilated discs: 356mm di	Fuel / induction system	Naturally aspirated with Variable Timir	ng. Multi-point sequential fuel injection.
Service interval 20,000km or 1-year (whichever occurs soonest)  Steering Speed-sensitive power-assisted steering  - Anti-lock Braking System (ABS) - Electronic Brake Force Distribution (EBFD) - Emergency Brake Assist · Cornering Brake Control · Straight Line Stability Control  - Front ventilated discs: 356mm diameter  - Rear drums: 203mm diameter  - Rear drums: 20	Fuel tank capacity	40	itres
Steering  Speed-sensitive power-assisted steering  - Anti-lock Braking System (ABS) - Electronic Brake Force Distribution (EBFD) - Emergency Brake Assist - Cornering Brake Control - Straight Line Stability Control  Front ventilated discs: 356mm diameter  Front ventilated discs: 356mm diameter  Rear drums: 203mm diameter  Rear drums: 203mm diameter  Rear drums: 203mm diameter  174 190  Acceleration (0 - 100km/hr) 12.4 10.2  Fuel economy (litres/100km)* Combined low 5.3 5.8  Fuel economy (litres/100km)* Combined high 5.9 6.2  CO2 emissions (g/km)* Combined high 133 140	Emission compliance	EURO 6d	EURO 6d
Anti-lock Braking System (ABS) · Electronic Brake Force Distribution (EBFD) · Emergency Brake Assist · Cornering Brake Control · Straight Line Stability Control  Front ventilated discs: 356mm diameter  Rear drums: 203mm diameter  Rear drums: 203mm diameter  Rear drums: 203mm diameter  174 190  Acceleration (0 - 100km/hr) 12.4 10.2  Fuel economy (litres/100km)* Combined low 5.3 5.8  Fuel economy (litres/100km)* Combined high 5.9 6.2  CO2 emissions (g/km)* Combined low 118 121  CO2 emissions (g/km)* Combined high 133 140	Service interval	20,000km or 1-year (whichever occurs soonest)	
Brakes and discs  Front ventilated discs: 356mm diameter Rear drums: 203mm diameter  Maximum speed (km/hr)  Acceleration (0 - 100km/hr)  Fuel economy (litres/100km)* Combined low  Fuel economy (litres/100km)* Combined high  C02 emissions (g/km)* Combined high  C02 emissions (g/km)* Combined high  Emergency Brake Assist · Cornering Brake Control · Straight Line Stability Control  Front ventilated discs: 381mm diameter  Rear drums: 203mm diameter  Rear drums: 203mm diameter  174  190  12.4  10.2  5.8  Fuel economy (litres/100km)* Combined low  5.3  5.8  Fuel economy (litres/100km)* Combined high  5.9  6.2  C02 emissions (g/km)* Combined high  133  140	Steering	Speed-sensitive pov	ver-assisted steering
Front ventilated discs: 381mm diameter Rear drums: 203mm diameter Rear drums: 203mm diameter  Maximum speed (km/hr)  Acceleration (0 - 100km/hr)  Fuel economy (litres/100km)* Combined low  Fuel economy (litres/100km)* Combined high  CO2 emissions (g/km)* Combined high  CO2 emissions (g/km)* Combined high  Front ventilated discs: 381mm diameter  Rear drums: 203mm d		Emergency Brake Assist • Cornering Bra	ake Control • Straight Line Stability Con-
Maximum speed (km/hr)       174       190         Acceleration (0 - 100km/hr)       12.4       10.2         Fuel economy (litres/100km)* Combined low       5.3       5.8         Fuel economy (litres/100km)* Combined high       5.9       6.2         CO2 emissions (g/km)* Combined low       118       121         CO2 emissions (g/km)* Combined high       133       140	Brakes and discs		Front ventilated discs: 381mm diameter
Acceleration (0 - 100km/hr)       12.4       10.2         Fuel economy (litres/100km)* Combined low       5.3       5.8         Fuel economy (litres/100km)* Combined high       5.9       6.2         CO2 emissions (g/km)* Combined low       118       121         CO2 emissions (g/km)* Combined high       133       140		Rear drums: 203mm diameter	Rear drums: 203mm diameter
Fuel economy (litres/100km)* Combined low       5.3       5.8         Fuel economy (litres/100km)* Combined high       5.9       6.2         CO2 emissions (g/km)* Combined low       118       121         CO2 emissions (g/km)* Combined high       133       140	Maximum speed (km/hr)	174	190
Fuel economy (litres/100km)* Combined high  5.9  6.2  CO2 emissions (g/km)* Combined low  118  121  CO2 emissions (g/km)* Combined high  133  140	Acceleration (0 - 100km/hr)	12.4	10.2
CO2 emissions (g/km)* Combined low  118  121  CO2 emissions (g/km)* Combined high  133  140	Fuel economy (litres/100km)* Combined low	5.3	5.8
CO2 emissions (g/km)* Combined high	Fuel economy (litres/100km)* Combined high	5.9	6.2
	CO2 emissions (g/km)* Combined low	118	121
Gross vehicle weight (KG) 1550 1645	CO2 emissions (g/km)* Combined high	133	140
	Gross vehicle weight (KG)	1550	1645


E & OE October 2023. \*Fuel consumption figures are determined according to the WLTP test cycle. The fuel consumption you achieve under real life driving conditions and CO2 produced will depend upon a number of factors, including the accessories fitted after registration, variations in driving styles, weather conditions and vehicle load. Only compare fuel consumption and CO2 with other vehicles tested using the same technical procedures. For more information contact your local Opel Dealer.


## **DIMENSIONS AND CAPACITIES**

EXTERIOR DIMENSIONS mm	CORSA
Vehicle length	4,060
Wheelbase	2,538
Overhang (front / rear)	831 / 691
Vehicle height	1,433
Tread width front	1,489
Tread width rear	1,488
Vehicle width (mirrors included)	1,960
Vehicle width (mirrors folded)	1,765
Maximum rear boot opening width	867
Maximum rear boot opening height	574
INTERIOR DIMENSIONS mm	CORSA
Compartment length (1st / 2nd row)	885 / 1,697
Compartment length (1st / 2nd row)  Load floor width between wheel arches	885 / 1,697 1.018
	-
Load floor width between wheel arches	1.018
Load floor width between wheel arches Seat height (front / rear)	1.018 262
Load floor width between wheel arches  Seat height (front / rear)  Shoulder room (front / rear)	1.018 262 1,360 / 1,324
Load floor width between wheel arches  Seat height (front / rear)  Shoulder room (front / rear)  Elbow room (front / rear)	1.018 262 1,360 / 1,324 1,382 / 1,344
Load floor width between wheel arches  Seat height (front / rear)  Shoulder room (front / rear)  Elbow room (front / rear)  Effective head room (front)	1.018 262 1,360 / 1,324 1,382 / 1,344 885
Load floor width between wheel arches  Seat height (front / rear)  Shoulder room (front / rear)  Elbow room (front / rear)  Effective head room (front)  Effective head room (front with sunroof)	1.018 262 1,360 / 1,324 1,382 / 1,344 885 877
Load floor width between wheel arches  Seat height (front / rear)  Shoulder room (front / rear)  Elbow room (front / rear)  Effective head room (front)  Effective head room (front with sunroof)  Effective head room (rear)	1.018 262 1,360 / 1,324 1,382 / 1,344 885 877 857
Load floor width between wheel arches  Seat height (front / rear)  Shoulder room (front / rear)  Elbow room (front / rear)  Effective head room (front)  Effective head room (front with sunroof)  Effective head room (rear)  Effective head room (rear with sunroof)	1.018 262 1,360 / 1,324 1,382 / 1,344 885 877 857



All dimensions in mm





E & OE October 2023. Images shown for illustration purposes only.

